
# **CONSTRUCTION DRAWINGS**

# WILLOW BOULEVARD/A-SITE LANDFILL OPERABLE UNIT 2 FINAL REMEDIAL DESIGN



REFERENCE: BASE MAP USGS 7.5 MINUTE QUADRANGLE., KALAMAZOO, MICH. 1967, PHOTOREVISED 1973.

LOCATION MAP

0 2000 4000



ALLIED PAPER, INC./PORTAGE CREEK/
KALAMAZOO RIVER SUPERFUND SITE
KALAMAZOO, MICHIGAN

**MARCH 2011** 

**GEORGIA-PACIFIC LLC** 





ARCADIS G&M OF MICHIGAN, LLC.


### INDEX TO DRAWINGS


- COVER SHEET
- 1 EXISTING SITE PLAN
- 2 SITE PREPARATION PLAN
- 4 CONSOLIDATED-MATERIAL GRADING PLAN
- 5 FINAL GRADING AND STORMWATER MANAGEMENT PLAN
- 6 LANDFILL GAS SYSTEM PLAN
- 7 GROUNDWATER MONITORING WELL LOCATIONS
- 8 RESTORATION/MITIGATION PLAN
- 9 SEEDING/PLANTING SPECIFICATIONS
- 10 SITE CROSS SECTION
- 11 BERM SECTIONS
- 12 BERM SECTIONS
- 13 FINAL COVER SECTION AND DETAILS
- 14 EROSION AND SEDIMENT CONTROL DETAILS
- 15 STORMWATER MANAGEMENT SECTION AND DETAILS
- 16 STORMWATER MANAGEMENT SECTION AND DETAILS
- 17 LANDFILL GAS SYSTEM SECTION AND DETAILS
- 18 GROUNDWATER MONITORING WELL DET.
- 19 RESTORATION SECTIONS AND DETAILS
- 20 RESTORATION SECTIONS























2.50

0.25

6,00

1.00 3.00

1.00

2,50 4.00

6,00 30.25

360.00

100.00 460.00

0.50

2.00

0.50

0.50 0.50

3.00

6.00 0.25

1.50 0.25

1.00 16.00 0.50

0.50 10.00

2.00

1.00

4.00 1.00 52.50

SCIENTIFIC NAME	COMMON NAME	OUNCES/ACRE
PERMANENT GRASSES/SEI	DGES	
Calamagrostis canadensis	BluejoInt Grass	1.0
Carex crinita	Fringed Sedge	2.0
Carex lupulina	Common Hop Sedge	4.0
Carex lurida	Bottlebrush Sedge	1.5
Carex frankii	Bristly Cattali Sedge	3.0
Carex squarosa	Narrow-Leaved Cattall Sedge	1.0
Carex typhinia	Common Cattall Sedge	1.0
Carex vulpinoidea	Brown Fox Sedge	4.0
Elymus virginicus	Virginia Wild Rye	20.0
Glyceria striata	Fowl Manna Grass	2.
Leersia oryzoides	Rice Cut Grass	2.
Scirpus atrovirens	Dark Green Rush	2.
Spartina pectinata	Prairie Cord Grass	1.
	Total	44.
Temporary Cover:		
Avena sativa	Common Oat	360.
Lolium multiflorum	Annual Rye	100.
	Total	460.
Forbs:		
Alisma spp.	Water Plantain (Various Mix)	3.
Angelica altropurpurea	Great Angelica	1.
Aster puniceus	Bristly Aster	0.
Aster umbellatus	Flat-Top Aster	0.
Bidens cernua	Nodding Bur Marigold	2.
Campanula americanus	Tall Bellflower	0.
Cephalanthus occidentalis	Buttonbush	0.
Helenium autumnale	Sneezeweed	2.
Heraculeum lanatum	Cow Parsnip	0.
Hibiscus moscheutos	Swamp Rose Mallow	2.
Lobelia siphilitica	Great Blue Lobella	1.
Lycopus americanus	Common Water Horehound	0.
Mimulus ringens	Monkey Flower	1.
Penthorum sedoides	Ditch Stonecrop	0.
Polygonum spp.	Pinkweed (Various Mix)	0.
Rudbeckia laciniata	Wild Golden Glow	0.
Verbesina alternifolia	Wingstem	2.
	Total	19.

SCIENTIFIC NAME	COMMON NAME
TEMPORARY GRASSES	50%
Avena sattiva	Seed Oats
Lobella inflata	Indian Tobacco
Lolium multiforum	Annual Rye
NATIVE GRASSES AND SEDGES	30%
Agropyron dasystachyum	Thickspike Wheatgrass
Calamagrostis canadensis	Canada Bluejoint
Carex bicknelli	Prairie Oval Sedge
Carex brevior	Plains Oval Sedge
Carex muhlenbergii	Sand Bracted Sedge
Elymus canadensis	Canada WIId Rye
Koleria macrantha	Junegrass
Schizachyrium scoparium	Little Bluestem
Sorghastrum nutans	Indian Grass
Sporobolus cryptandrus	Sand Dropseed
NATIVE WILDFLOWERS	20%
Anemone virgiana	Thimbleweed
Asclepias syriaca	Common Milkweed
Asclepias tuberose	Butterfly Weed
Aster laevis	Smooth Aster
Aster sagittifolius	Arrow-leaved Aster
Coreopsis lanceolata	Lanceleaf Coreopsis
Coreopsis tripteris	Tall Coreopsis
Desmodium illinoense	Prajrije Tijck Trefoji
Euphorbia corollata	FlowerIng Spurge
Lespedeza capitata	Roundhead Bushclover
Liatris aspera	Rough Blazing Star
Lupinus perennis	Lupine
Monarda fistulosa	Bergamot, Bee Balm
Monarda punctata	Horse Mint
Oenothera biennis	Evening Primrose
Ratibita pinnata	Yellow Coneflower
Rudbeckia hirta	Black-eyed Susan
Silphium terebinthinaceum	Prairie Dock
Solidago rigida	Stiff Goldenrod
Solidago speciosa	Showy Goldenrod
Verbeba sticta	Hoary Vervain
Vicia americana	American Vetch
TOTAL POUNDS PER ACRE	30

#### NOTES:

- 1. THIS SEED MIX IS COMMERCIALLY AVAILABLE AS PRE-MIXED AND IS NOT BROKEN DOWN BY INDIVIDUAL SPECIES.
- 2. RIPARIAN CORRIDOR FOR WILLOW BLVD. AND A-SITE
- THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH TECHNICAL SPECIFICATIONS.

SCIENTIFIC NAME	COMMON NAME	WETLAND INDICATOR STATUS	HABITAT TYPE	PLANT TYPE	HEIGHT	PLANTING DENSITY NO./ACRE	SPACING
TREES	•	•	•	•			•
Acer rubrum	Red Maple	FAC	Wetlands/Uplands/V sual Screen				
Acer saccharinum	S ver Maple	FACW	Wetlands				
Acer saccharum	Sugar Maple	FACU	Uplands/VIsual Screen				
Betula papyrifera	White Birch	FACU+	Uplands/V sual Screen				
Celtis occidentalis	Hackberry	FAC-	Uplands	1			
Cercis canadensis	Redbud	FACU	Uplands/V sual Screen				
Fagus grandifolia	Beech	FACU	Uplands/VIsual Screen				
Juglans nigra	Black Walnut	FACU	Uplands/V sual Screen		MINIMUM 40 INCH		
Juniperus virginiana	Eastern Red Cedar	FACU	Uplands/V sual Screen		(60% OF TREES		
Picea glauca	White Spruce	FACU	Uplands/V sual Screen	5-GALLON	USED FOR VISUAL SCREEN MUST BE	100	RANDOM
Pinus strobus	White Pine	FACU	Uplands/V sual Screen	CONTAINER	A MINIMUM OF 80	100	KANDOM
Platanus occidentalis	Sycamore	FACW	Wetlands		INCHES - SEE NOTE 1)		
Populus tremuloides	Quaking Aspen	NI	Uplands/V sual Screen		NOTE I)		
Prunus serotina	Black Cherry	FACU	Uplands/VIsual Screen				
Robinia pseudoacacia	Black Locust	FACU-	Uplands/V sual Screen				
Salix nigra	Black W∎ow	OBL	Wetlands				
Thuja occidentalis	Northern White Cedar	FACW	Wetlands/Uplands/VIsual Screen				
Tilia americana	Basswood	FACU	Uplands/Visual Screen				
Tsuga canadensis	Hemlock	FACU	Uplands/V sual Screen				
Ulmus americana	American Elm	FACW-	Wetlands				
SHRUBS							
Aronia arbutifolia	Red Chokeberry	FACW	Wetlands/Riparlan Corridor				
Comus amomum	S∎ky Dogwood	FACW+	Wetlands/Riparlan Corridor				
Comus racemosa	Gray-Stem Dogwood	FACW-	Wetlands/Riparian Comidor				
Prunus americana	Wild Plum	UPL	Uplands				
Ribes americanum	Black Currant	FACW	Wetlands/Riparian Comidor				
Rosa multiflora	Multiflora Rose	FACU	Uplands	1-GALLON			GROUPING
Rubus idaeus	Raspberry	FACU+	Uplands	CONTAINER	MINIMUM 24 INCH	50	3-4 FEET APART
Salix discolor	Pussy W <b>il</b> low	FACW	Wetlands/Riparlan Corridor				AIAN
Salix exigua	Narrowleaf Willow	FACW+	Wetlands/Riparian Comidor				
Vibumum dentatum	Arrowwood	FAC	Uplands/Wetlands/Riparlan Corridor				
Viburnum lentago	Nannyberry	FAC+	Wetlands/Riparian Comdor				
Viburnum trilobum	Highbush Cranberry	FACW	Wetlands/Riparian Corridor	1			
LIVE STAKES		•					•
Comus racemosa	Gray-Stern Dogwood	FACW-	Wetlands/Riparian Corridor				
Comus rugosa	Roundleaf Dogwood	NI	Wetlands/Riparian Comdor				GROUPING
Comus sericea	Red-Osler Dogwood	FACW	Wetlands/Riparian Comdor	LIVE STAKE	MINIMUM 36 INCH	100	3-4 FEET
Salix cinerea	Gray Willow	NI	Uplands/Riparian Comidor				APART
Salix nigra	Black W∎ow	OBL	Wetlands	7	1		

## WETLAND INDICATOR STATUS ARE DEFINED AS:

OBL - OBLIGATE WETLAND SPECIES THAT OCCUR IN WETLANDS 99% OF THE TIME.

FACW - FACULTATIVE WETLAND SPECIES THAT OCCUR IN WETLANDS 66%-99% OF THE TIME.

FAC - FACULTATIVE WETLAND SPECIES THAT OCCUR IN WETLANDS 33%-66% OF THE TIME.

FACU - FACULTATIVE UPLAND SPECIES THAT OCCUR IN WETLANDS 1%-33% OF THE TIME.

UPL - UPLAND SPECIES THAT OCCUR IN WETLANDS <1% OF THE TIME.

- "+" INDICATES PREFERENCE FOR SLIGHTLY WETTER ENVIRONMENTAL CONDITIONS.
- "-" INDICATES PREFERENCE FOR SLIGHTLY DRYER ENVIRONMENTAL CONDITIONS.

VISUAL SCREEN IS LOCATED TO SOUTH OF WILLOW BOULEVARD AND A-SITE LANDFILLS. TALLER TREES SHALL BE PLANTED INTERMITTENTLY WITHIN THIS CORRIDOR TO CREATE A BARRIER BETWEEN THE LANDFILLS AND RESIDENTIAL PROPERTIES TO THE SOUTH.


8									
						Professional Engineer's Name  WILLIAM A. RANKIN  Professional Engineer's No.  6201044550			Г
ļ									ı
NOT TO SCALE									ı
· ·									1
	L					State	Date Signed	Project Mar.	ı
THIS BAR USE TO VERIFY REPRESENTS ONE FIGURE	No.	Date	Rev <b>isi</b> ons	Ву	Ckd	мі		PNM	
INCH ON THE REPRODUCTION DRIGINAL DRAWING: SCALE	THIS DE	AWING IS THE	EPROPERTY OF THE ARCADIS ENTITY IDENTIFIED IN THE TITLE BLOCK A UCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRIT	ND MAY			Drawn by	Checked by	
			PERMISSION OF SAME.			MB/ANE	AGS	MB/ANE	

DRAFT NOT FOR CONSTRUCTION




GEORGIA-PACIFIC LLC • ALLIED PAPER, INC./PORTAGE CREEK/KALAMAZOO RIVER SUPERFUND SITE - KALAMAZOO, MICHIGAN WILLOW BOULEVARD/A-SITE LANDFILL OPERABLE UNIT 2 FINAL REMEDIAL DESIGN

## **SEEDING/PLANTING SPECIFICATIONS**



**CROSS SECTION - WILLOW BOULEVARD LANDFILL** 

(4X VERTICAL EXAGGERATION)



**CROSS SECTION - A SITE LANDFILL** 

(4X VERTICAL EXAGGERATION)

#### NOTES:

- APPROXIMATE HORIZONTAL LIMITS AND BOTTOM OF EXISTING RESIDUALS BASED ON SAMPLE DATA.
- 2. PERIMETER EXCAVATION AREA (SHADED) BASED ON LIMITS AND DEPTHS SHOWN ON DRAWING 3.
- 3. ALL RESIDUALS EXCAVATED FROM THE OU SHALL BE RELOCATED BENEATH THE FINAL COVER SYSTEM. BACKFILL MATERIAL PLACED OUTSIDE OF THE COVER SYSTEM SHALL BE PROVIDED BY OFFSITE SOURCES OR FROM AREAS OF THE SITE CONFIRMED TO CONTAIN CLEAN MATERIAL.
- 4. ELEVATIONS ARE BASED ON THE NATIONAL GEODETIC VERTICAL DATUM

(NGVD) OF 1929 (FEET ABOVE MEAN SEA LEVEL). GEORGIA-PACIFIC LLC • ALLIED PAPER, INC./PORTAGE CREEK/KALAMAZOO RIVER SUPERFUND SITE - KALAMAZOO, MICHIGAN WILLOW BOULEVARD/A-SITE LANDFILL OPERABLE UNIT 2 FINAL REMEDIAL DESIGN

ARCADIS Project No. B0064581 0001 00670 B0064582 0001 00670	
Date MARCH 2011	40
ARCADIS 6723 Towpath Road P.O. Box 66 Syracuse, NY 13214	10

LEGEND:


- DETAIL REFERENCE NUMBER - DRAWING REFERENCE NUMBER

HORZ. WILLIAM A. RANKIN PNM REPRESENTS ONE INCH ON THE ORIGINAL DRAWING: THIS DRAWING IS THE PROPERTY OF THE ARCADIS ENTITY IDENTIFIED IN THE TITLE BLOCK AND MAY NOT BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN DEPAULS IN OR A SHORT OF THE PROPERTY OF

**DRAFT** NOT FOR CONSTRUCTION

**ARCADIS** ARCADIS G&M OF MICHIGAN, LLC.

**SITE CROSS SECTIONS** 



**ARCADIS** 

ARCADIS G&M OF MICHIGAN, LLC.

**DRAFT** 

NOT FOR

CONSTRUCTION

WILLIAM A. RANKIN

THIS DRAWING IS THE PROPERTY OF THE ARCADIS ENTITY IDENTIFIED IN THE TITLE BLOCK AND MAY NOT BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN DEPAULS IN OR A SHORT OF THE PROPERTY OF


PNM


GEORGIA-PACIFIC LLC • ALLIED PAPER, INC./PORTAGE CREEK/KALAMAZOO RIVER SUPERFUND SITE - KALAMAZOO, MICHIGAN WILLOW BOULEVARD/A-SITE LANDFILL OPERABLE UNIT 2 FINAL REMEDIAL DESIGN

B0064581 0001 00670 B0064582 0001 00670	
Date MARCH 2011	
ARCADIS 6723 Towpath Road P.O. Box 66 Syracuse, NY 13214 Tel. 315.446.9120	

REPRESENTS ONE INCH ON THE ORIGINAL DRAWING

NOT TO SCALE






#### NOTE:


1. GEOCOMPOSITE MAY BE USED AS AN ALTERNATIVE MATERIAL IN PLACE OF THE SAND GAS VENTING LAYER.





- 1. INTERIOR AND EXTERIOR SIDESLOPES OF SWALE SHALL BE LINED WITH PERMANENT EROSION CONTROL MAT.
- 2. FINAL COVER COLLECTION PIPE SHALL BE 6"Ø PERFORATED SMOOTH-BORE CORRUGATED HDPE AND SHALL HAVE A MINIMUM SLOPE EQUAL TO THE PERIMETER DITCH. FINAL COVER COLLECTION PIPES SHALL OUTLET TO SURFACE GRADE AT LEAST ONCE EVERY 476 FEET ONTO A RIPRAP APRON. OUTLET PIPE SHALL BE 6"Ø SOLID SMOOTH-BORE CORRUGATED HDPE AND SHALL HAVE A MINIMUM INVERT GRADIENT OF 2%. OUTLET PIPE SHALL TEE INTO THE FINAL COVER COLLECTION PIPE.






1. STRUCTURES THAT REQUIRE PENETRATION THROUGH THE FML (I.F., FFNCF POSTS, GAS VENTS, AND GROUNDWATER MONITORING WELLS) SHALL HAVE VERTICAL PENETRATION SEALS.

REPRODUCTION SCALE


**VERTICAL PENETRATION SEAL** 




1. SWALE TO BE CONSTRUCTED WITH A MINIMUM 3% INVERT GRADIENT.

MID-SLOPE SWALE (WILLOW BOULEVARD LANDFILL)








#### **SECTION A-A'**

#### NOTES:

- 1. FINAL COVER COLLECTION PIPE SHALL BE 6"Ø PERFORATED SMOOTH-BORE CORRUGATED HDPE AND SHALL HAVE A MINIMUM SLOPE EQUAL TO THE PERIMETER DITCH. FINAL COVER COLLECTION PIPES SHALL OUTLET TO SURFACE GRADE AT LEAST ONCE EVERY 476 FEET ONTO A RIPRAP APRON. OUTLET PIPE SHALL BE 6"Ø SOLID SMOOTH-BORE CORRUGATED HDPE AND SHALL HAVE A MINIMUM INVERT GRADIENT OF 2%. OUTLET PIPE SHALL TEE INTO THE FINAL COVER COLLECTION PIPE
- 2. LOW PERMEABILITY GENERAL FILL SHALL BE GENERAL FILL AMENDED WITH GRANULAR BENTONITE. AMENDED GENERAL FILL SHALL BE PLACED AND COMPACTED USING HAND OPERATED COMPACTION EQUIPMENT.





GEORGIA-PACIFIC LLC • ALLIED PAPER, INC./PORTAGE CREEK/KALAMAZOO RIVER SUPERFUND SITE - KALAMAZOO, MICHIGAN WILLIAM A. RANKIN **ARCADIS** WILLOW BOULEVARD/A-SITE LANDFILL OPERABLE UNIT 2 FINAL REMEDIAL DESIGN NOT TO SCALE

**FINAL COVER SECTIONS AND DETAILS** 

30064581.0001.00670 0064582.0001.00670 ARCH 2011 ARCADIS 6723 Towpath Road P.O. Box 66 Syracuse, NY 13214 Tel. 315.446.9120

DB: B. GETTS L. FORAKER A. SAMIOS LD: A. SAMIOS PIC: B. DESHIELDS PM: P. MCGURE TM: C. ALBUNIO LYR: ON='.OFF="REF" DZ100670DWGICONTRACTI64581G23.dwg LAYOUT: 13SAVED: 3/10/2011 3:05 PM ACADVER: 18.0S (LMS TECH) PAGESETUP. --

REPRESENTS ONE INCH ON THE RIGINAL DRAWING

PNM


**DRAFT** NOT FOR CONSTRUCTION

ARCADIS G&M OF MICHIGAN, LLC.

#### NOTES:

- DEPOSITS SHALL BE REMOVED WHEN THEY REACH APPROXIMATELY 6 INCHES ABOVE GRADE ELEVATION.
- 2. THE SILT FENCE WILL REMAIN IN PLACE UNTIL A VEGETATIVE STAND IS ESTABLISHED.
- THE SILT FENCE WILL BE USED FOR TEMPORARY EROSION AND SEDIMENTATION CONTROL ONLY.





#### NOTES:

- THE SILT CURTAIN WILL BE USED FOR TEMPORARY EROSION AND SEDIMENTATION CONTROL ONLY AND SHALL BE IN ACCORDANCE WITH TECHNICAL SPECIFICATION 01571-EROSION AND SEDIMENT CONTROL.
- 2. POSTS MAY BE REPLACED WITH OR USED WITH FLOATATION MECHANISM








DETAIL/SECTION REFERENCE NUMBER

DRAWING REFERENCE NUMBER



# EROSION AND SEDIMENT CONTROL SECTIONS AND DETAILS

GEORGIA-PACIFIC LLC • ALLIED PAPER, INC./PORTAGE CREEK/KALAMAZOO RIVER SUPERFUND SITE - KALAMAZOO, MICHIGAN WILLOW BOULEVARD/A-SITE LANDFILL OPERABLE UNIT 2 FINAL REMEDIAL DESIGN

B0064581.0001.00670 B0064582.0001.00670
Date MARCH 2011
ARCADIS 6723 Towpath Road P.O. Box 66



50' MIN

В ◀—

PLAN

50' MIN.

NOTE:

EXISTING GROUND -

EXISTING GRADE

OPEN GRADED STONE-


WOVEN GEOTEXTILE-


STABILIZED CONSTRUCTION ENTRANCES SHALL BE INSTALLED AT ALL WORK AREA ACCESS POINTS.

— EXISTING PAVEMENT

रें। EXISTING PAVEMENT

## STABILIZED CONSTRUCTION ENTRANCE NOT TO SCALE





20' MIN.

WOVEN

GEOTEXTILE-

SECTION B-B'

-RIPRAP  $(D_{50} = 8 \text{ INCHES})$ 16" MIN. VARIES NON-WOVEN GEOTEXTILE SECTION A-A'

THE MINIMUM WIDTH OF THE APRON SHALL EQUAL THE LENGTH OF THE APRON PLUS 3 TIMES THE DIAMETER OF THE CULVERT OR PIPE DRAINING INTO IT.


RIPRAP APRON NOT TO SCALE

WILLIAM A. RANKIN NOT TO SCALE USE TO VERIFY FIGURE REPRODUCTION SCALE PNM REPRESENTS ONE INCH ON THE ORIGINAL DRAWING HIS DRAWING IS THE PROPERTY OF THE ARCADIS ENTITY IDENTIFIED IN THE TITLE BLOCK AND MA NOT BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN

**DRAFT** NOT FOR CONSTRUCTION ARCADIS G&M OF MICHIGAN, LLC.

LEGEND:


DB: B. GETTS S. KOWALCZYK A. SAMIOS LD.A. SAMIOS PIC: B. DESHIELDS PN. P. MCGUIRE TM: C. ALBUNIO LYR: ON=";OFF="REF" D200670DWGICONTRACT064881G24.dwg LAYOUT: 14SAVED: 3/10/2011 1:45 PM ACADVER: 18.0S (LMS TECH) PAGESETUP: ---PL




#### NOTES:

- SIDESLOPES OF PERIMETER DITCH SHALL BE LINED WITH TEMPORARY EROSION CONTROL MAT TO THE MAXIMUM CHANNEL DEPTH.
- MINIMUM DITCH INVERT GRADIENT SHALL BE 3% ON THE WILLOW BOULEVARD LANDFILL AND ALONG THE SOUTHERN SIDE OF THE A-SITE LANDFILL. THE MINIMUM DITCH INVERT GRADIENT SHALL BE 1% ALONG THE NORTHERN AND EASTERN SIDE OF THE A-SITE LANDFILL.





#### <u>PLAN</u>



#### NOTES:


- 1. CRUSHED STONE SHALL BE COMPACTED DENSE GRADE CLASS II AGGREGATE.
- 2. NUMBER AND SIZE OF CULVERT PIPES ARE DEFINED FOR EACH CULVERT LOCATION AS FOLLOWS:

CULVERT ID	CULVERT CONFIGURATION [NUMBER OF PIPES-SIZE]
CV-1	3–18 IN.
CV-2	3–18 IN.
CV-3	2-15 IN.
CV-4	1-8 IN.
CV-5	2-18 IN.

- 3. THE UPSTREAM INVERT OF THE PIPE INSTALLED AT THE LOW POINT OF THE PERIMETER DRAINAGE DITCH SHALL MATCH THE INVERT OF THE PERIMETER DRAINAGE DITCH AT THE INLET.
- 4. CONTRACTOR SHALL INSTALL PIPE IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
- 5. RIPRAP (D50 = 8 INCHES) TO BE PLACED AT A MINIMUM THICKNESS OF 16 INCHES AND UNDERLAIN WITH NON-WOVEN GEOTEXTILE.
- 6. HDPE PIPE AND FITTINGS SHALL BE CORRUGATED INTERIOR MANUFACTURED BY ADS OR APPROVED EQUIVALENT. PIPE SHALL BE JOINED USING SOIL TIGHT CONNECTIONS AS MANUFACTURED BY ADS OR APPROVED EQUIVALENT. PIPE AND FITTINGS TO BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS.
- 7. CULVERT PIPES TO BE CONSTRUCTED WITH A MINIMUM 1% SLOPE.

## TYPICAL CULVERT CROSSING NOT TO SCALE





АХ 69										
								Professional Engineer's Name  WILLIAM A. RANKIN  Professional Engineer's No.		
NOT TO SCALE										
							6201044550			
							State	Date Signed	Project Mar.	
THIS BAR		USE TO VERIFY						м		PNM
REPRESENTS ONE		FIGURE	No.	Date	Revisions	Ву	Ckd	IVII		IT INIVI
INCH ON THE REPRODUCTION							Designed by	Drawn by	Checked by	
ORIGINAL DRAWING: SCALE				NOT BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN PERMISSION OF SAME.			CAA	BGG	PHB	


DRAFT NOT FOR CONSTRUCTION ARCADIS G&M OF MICHIGAN, LLC.





GEORGIA-PACIFIC LLC • ALLIED PAPER, INC./PORTAGE CREEK/KALAMAZOO RIVER SUPERFUND SITE - KALAMAZOO, MICHIGAN WILLOW BOULEVARD/A-SITE LANDFILL OPERABLE UNIT 2 FINAL REMEDIAL DESIGN

# STORMWATER MANAGEMENT SECTIONS AND DETAILS

B0064581 0001 00670 B0064582 0001 00670	
Date MARCH 2011	
ARCADIS 6723 Towpath Road P.O. Box 66 Syracuse, NY 13214	







645											
								Professional Engineer's Name  WILLIAM A. RANKIN  Professional Engineer's No.  6201044550			Т
NOT TO SCALE											
							State	Date Slaned	Project Mar.		
THIS BAR REPRESENTS ONE	1 1	USE TO VERIFY FIGURE	No.	Date	Revisions	Ву	Ckd			PNM	
INCH ON THE REPRODUCTION		THIS DR					Designed by	Drawn by	Checked by		
DRIGINAL DRAWING: SCALE			NO.	NOT BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN PERMISSION OF SAME.			JR	AGS	LRC		

DRAFT

NOT FOR
CONSTRUCTION



GEORGIA-PACIFIC LLC • ALLIED PAPER, INC./PORTAGE CREEK/KALAMAZOO RIVER SUPERFUND SITE - KALAMAZOO, MICHIGAN WILLOW BOULEVARD/A-SITE LANDFILL OPERABLE UNIT 2 FINAL REMEDIAL DESIGN

# GROUNDWATER MONITORING WELL DETAILS

ARCADIS Project No. B0064581 0001 00670 B0064582 0001 00670	
Date MARCH 2011	l
ARCADIS 6723 Towpath Road P.O. Box 66 Syracuse, NY 13214 Tel. 315.446.9120	

SETBACK OF CLEAN MATERIAL 20' WIDE ACCESS ROAD **FENCELINE** FINAL COVER ( SYSTEM LIVE STAKE (TYP.) -LOCATION OF GROUNDWATER - EROSION CONTROL FABRIC CHOKED HABITAT STONE FINAL GRADE 19 100-YEAR FLOOD ELEVATION 

▼ FILTER STONE EXISTING RESIDUALS 2-YEAR FLOOD ELEVATION MEDIAN FLOW ELEVATION (4) 19 FML TO FML FLAP EXISTING MATERIA

> TYPICAL RIPARIAN CORRIDOR RESTORATION SECTION -WILLOW BOULEVARD LANDFILL

## **TYPICAL RIPARIAN CORRIDOR RESTORATION SECTION -**A-SITE LANDFILL


-AREA OF FORESTED SHRUB AND LIVE UPLAND/RIPARIAN CORRIDOR PLANTING SEED MIX (SEE STAKE GROUPINGS (SEE TABLE 4. DRAWING 9) TABLE 3, DRAWING 9) 100-YEAR FLOODPLAIN ELEVATION VEGETATIVE SOIL -2-YEAR FLOODPLAIN ELEVATION SOIL-CHOKED STONE


-MEDIAN FLOW ELEVATION

#### NOTES:

- 1. STONE FILL SHALL BE PLACED FROM THE TOE OF BANK TO THE 2-YEAR FLOODPLAIN ELEVATION.
- 2. PERMANENT EROSION CONTROL FABRIC SHALL BE INSTALLED FROM THE MEDIAN FLOW ELEVATION TO THE 2-YEAR FLOODPLAIN ELEVATION.
- 3. NATIVE SHRUB SPECIES SHALL BE INSTALLED CONSISTENT WITH THE HABITAT TYPE. THE INTENT OF PLANTING IS TO SIMULATE NATURAL AND NON-GEOMETRIC PLANT GROUPINGS. THE RECOMMENDED SPACINGS ARE FOR COSTING AND ORDERING PURPOSES. ACTUAL FIELD PLANTINGS OF SHRUB AND LIVE STAKE GROUPINGS SHOULD BE STAGGERED HORIZONTALLY AND VERTICALLY ALONG THE AREAS OF RESTORATION. PLANT 3-5 LIVE STAKES SPACED 3-4 FEET APART IN EACH GROUPING. PLANT 3-4 SHRUBS SPACED 3-4 FEET APART IN EACH GROUPING.
- 4. AT A-SITE LANDFILL, SHRUBS AND LIVE STAKE GROUPINGS SHALL BE INSTALLED BETWEEN THE MEDIAN FLOW AND 100-YEAR FLOODPLAIN ELEVATIONS. AT WILLOW BLVD. LANDFILL, LIVE STAKE GROUPINGS SHALL BE INSTALLED BETWEEN THE MEDIAN FLOW ELEVATION AND LOWER LIMIT OF FML (APPROXIMATELY EL. 758.0).







 $\langle x \rangle$ 

ೲ

SHRUB GROUPING

LIVE STAKE GROUPING

TABLE 1 ON DRAWING 9)


- 1. STRAW MULCH SHALL BE PLACED WITHIN SEEDED AREAS.
- 2. NATIVE TREE AND SHRUB SPECIES SHALL BE INSTALLED CONSISTENT WITH THE HABITAT TYPE. THE INTENT OF PLANTING IS TO SIMULATE NATURAL AND NON-GEOMETRIC PLANT GROUPINGS. THE RECOMMENDED SPACINGS ARE FOR COSTING AND ORDERING PURPOSES. ACTUAL FIELD PLANTINGS OF TREES, SHRUB, AND LIVE STAKE GROUPINGS SHOULD BE STAGGERED HORIZONTALLY AND VERTICALLY ALONG THE AREAS OF RESTORATION. PLANT 3-5 LIVE STAKES SPACED 3-4 FEET APART IN EACH GROUPING. PLANT 3-4 SHRUBS SPACED 3-4 FEET APART IN EACH GROUPING TREES MAY BE INTERMIXED WITH SHRUBS

# TYPICAL WETLAND AND UPLAND PLANTING SCHEMATIC -

# STAKES AND TIES EXISTING WOOD MULCH GROUND SURFACE -BACKFILL SOIL

- TREE HOLE DIMENSIONS WILL BE DUG BASED ON ROOT BALL SIZE. THE TREE HOLE SHALL BE  $2\!-\!3$  TIMES THE DIAMETER AND 0.5 TIMES THE DEPTH OF THE ROOT BALL.
- STAKES AND TIES WILL BE INSTALLED SUCH THAT 6-8 INCHES OF TREE SWAY IS PERMITTED.

# TYPICAL TREE PLANTING DETAIL



1. VEGETATIVE SOIL TO BE LOOSELY DISTRIBUTED WITHIN STONE MATERIAL DURING STONE PLACEMENT. FINAL STONE SURFACE TO BE COVERED WITH VEGETATIVE SOIL TO AN INSTALLED THICKNESS OF 1 TO 2 INCHES ABOVE THE STONE. SURFACE OF VEGETATIVE SOIL TO BE COMPACTED TO THE EXTENT PRACTICABLE PRIOR TO SEED APPLICATION.

# VEGETATIVE SOIL CHOKED **HABITAT STONE SECTION**

**PLAN VIEW** 

NOT TO SCALE								Professional Engineer's Name			
								WILLIAM A. RANKIN			
								Professional Engineer's No.			
								6201044550 State Date Staned Protect More			
S BAR ENTS ONE		USE TO VERIFY FIGURE REPRODUCTION SCALE						MI	Date Oigned	Project Mgr.	
			No.	Date	Revisions	Ву	Ckd			PNM	
ON THE			THIS DRAWING IS THE PROPERTY OF THE ARCADIS ENTITY IDENTIFIED IN THE TITLE BLOCK AND MAY						Drawn by	Checked by	
DRAWING:			NOT BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN					мв	AGS	мв	

DRAFT NOT FOR CONSTRUCTION



GEORGIA-PACIFIC LLC • ALLIED PAPER, INC./PORTAGE CREEK/KALAMAZOO RIVER SUPERFUND SITE - KALAMAZOO. MICHIGAN WILLOW BOULEVARD/A-SITE LANDFILL OPERABLE UNIT 2 FINAL REMEDIAL DESIGN

# **RESTORATION SECTIONS AND DETAILS**

ARCADIS Project No. B0064581 0001 00670 B0064582 0001 00670	
Date MARCH 2011	10
ARCADIS 6723 Towpath Road P.O. Box 66 Syracuse, NY 13214	13

